Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old a	ure you?		
		1	12 years old or younger	11	0.6
		2	13 years old	9	0.6
		3	14 years old	130	8.3
		4	15 years old	398	24.1
		5	16 years old	455	26.7
		6	17 years old	336	24.6
		7	18 years old or older	211	15.1
			Missing	2	
18-18	Q2	What is yo	our sex?		
		1	Female	719	51.5
		2	Male	818	48.5
			Missing	15	
19-19	Q3	In what gr	ade are you?		
		1	9th grade	389	25.8
		2	10th grade	493	25.6
		3	11th grade	325	24.5
		4	12th grade	321	23.6
		5	Ungraded or other grade	9	0.6
			Missing	15	
20-20	Q4	Are you H	lispanic or Latino?		
	-	1	Yes	373	14.3
		2	No	1,150	85.7
			Missing	29	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		Н	8	0.5
		G	1	0.1
		F	5	0.3
		Е	1,054	69.4
		ЕН	1	0.
		D	43	2.
		DE	5	0.
		C	151	20
		CE	20	0.
		CD	1	0.0
		В	33	1.
		B E	14	0.
		B D	2	0.
		B DE	1	0.
		BCD	1	0.
		A	47	1.
		A E	23	0.
		AC	4	0.
		ACE	2	0.
		AB E	1	0.
		ABC	1	0.
			134	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)	_	
39-39	Q8	How often do you wear a seat belt when riding in a car driven by someone else?	_	
		1 Never	73	4.
		2 Rarely	82	5.
		3 Sometimes	157	10.
		4 Most of the time	383	25.:
		5 Always	840	54.
		Missing	17	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
40-40	Q9		e past 30 days, how many times did you ride in a car or other iven by someone who had been drinking alcohol?		
		1	0 times	1,278	83.6
		2	1 time	96	6.5
		3	2 or 3 times	73	4.
		4	4 or 5 times	27	1.9
		5	6 or more times	56	3.9
			Missing	22	
41-41	Q10		e past 30 days, how many times did you drive a car or other nen you had been drinking alcohol?		
		1	I did not drive a car or other vehicle during the past 30 days	456	33.
		2	0 times	821	63.8
		3	1 time	14	1.
		4	2 or 3 times	16	1.0
		5	4 or 5 times	5	0.
		6	6 or more times	11	0.0
			Missing	229	
42-42	Q11		e past 30 days, on how many days did you text or e-mail ing a car or other vehicle?		
		1	I did not drive a car or other vehicle during the past 30 days	457	32.1
		2	0 days	564	41.9
		3	1 or 2 days	101	7.
		4	3 to 5 days	51	3.9
		5	6 to 9 days	39	2.9
		6	10 to 19 days	35	2.0
		7	20 to 29 days	26	2.
		8	All 30 days	91	7.
			Missing	188	
43-43	Q12	During the such as a g	e past 30 days, on how many days did you carry a weapon gun, knife, or club on school property?		
		1	0 days	1,418	93.0
		2	1 day	32	2.
		3	2 or 3 days	25	1.:
		4	4 or 5 days	13	1.0
		5	6 or more days	36	1.9
			Missing	28	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q13	During the	e past 12 months, on how many days did you carry a gun?		
		1	0 days	1,422	92.6
		2	1 day	27	1.8
		3	2 or 3 days	31	2.1
		4	4 or 5 days	13	0.3
		5	6 or more days	43	2.3
			Missing	16	
45-45	Q14		e past 30 days, on how many days did you not go to school ou felt you would be unsafe at school or on your way to or ol?		
		1	0 days	1,338	87.2
		2	1 day	80	4.9
		3	2 or 3 days	53	3.9
		4	4 or 5 days	31	1.1
		5	6 or more days	34	2.3
			Missing	16	
46-46	Q15		past 12 months, how many times has someone threatened or u with a weapon such as a gun, knife, or club on school		
		1	0 times	1,408	92.8
		2	1 time	38	2.4
		3	2 or 3 times	31	1.3
		4	4 or 5 times	20	1.
		5	6 or 7 times	8	0.
		6	8 or 9 times	7	0.
		7	10 or 11 times	3	0.3
		8	12 or more times	11	0.′
			Missing	26	
47-47	Q16	During the fight?	past 12 months, how many times were you in a physical		
		1	0 times	1,205	79.0
		2	1 time	127	9.
		3	2 or 3 times	96	6
		4	4 or 5 times	33	2.3
		5	6 or 7 times	13	0.9
		6	8 or 9 times	4	0.2
		7	10 or 11 times	1	0.
		8	12 or more times	22	1.:
			Missing	51	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q17	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,414	94.1
		2 1 time	50	3.4
		3 2 or 3 times	19	1.4
		4 4 or 5 times	7	0.5
		5 6 or 7 times	3	0.2
		6 8 or 9 times	2	0.1
		7 10 or 11 times	1	0.1
		8 12 or more times	2	0.1
		Missing	54	
49-49	Q18	Have you ever seen someone get physically attacked, beaten, stabbed, or shot in your neighborhood?		
		1 Yes	331	23.1
		2 No	1,182	76.9
		Missing	39	
50-50	Q19	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	224	15.6
		2 No	1,299	84.4
		Missing	29	
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	1,271	84.6
		2 1 time	112	8.0
		3 2 or 3 times	63	4.2
		4 4 or 5 times	13	0.8
		5 6 or more times	32	2.3
		Missing	61	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		I did not date or go out with anyone during the past	565	38.6
		12 months 2 0 times	751	55.0
		3 1 time	40	2.8
		4 2 or 3 times	28	2.0
		5 4 or 5 times	6	0.5
		6 6 or more times	14	1.1
		Missing	148	1.1
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		I did not date or go out with anyone during the past 12 months	569	37.6
		2 0 times	799	56.2
		3 1 time	37	2.7
		4 2 or 3 times	26	1.8
		5 4 or 5 times	6	0.4
		6 6 or more times	19	1.3
		Missing	96	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	260	17.3
		2 No	1,238	82.7
		Missing	54	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	265	18.4
		2 No	1,251	81.6
		Missing	36	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	662	42.9
		2 No	840	57.1
		Missing	50	27

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	338	21.8
		2 No	1,167	78.2
		Missing	47	
58-58	Q27	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	290	18.9
		2 No	1,206	81.1
		Missing	56	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,203	89.6
		2 1 time	71	5.2
		3 2 or 3 times	51	3.9
		4 4 or 5 times	11	0.9
		5 6 or more times	6	0.4
		Missing	210	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,195	89.8
		2 Yes	49	3.8
		3 No	87	6.4
		Missing	221	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	366	25.2
		2 No	1,061	74.8
		Missing	125	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?		
		I have never tried cigarette smoking, not even one or two puffs	1,068	73.6
		2 8 years old or younger	56	3.6
		3 9 or 10 years old	49	3.3
		4 11 or 12 years old	52	3.4
		5 13 or 14 years old	126	8.5
		6 15 or 16 years old	83	5.6
		7 17 years old or older	25	2.0
		Missing	93	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,375	95.1
		2 1 or 2 days	35	2.1
		3 3 to 5 days	15	1
		4 6 to 9 days	6	0.4
		5 10 to 19 days	7	0.4
		6 20 to 29 days	6	0.3
		7 All 30 days	11	0.6
		Missing	97	
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,371	95.3
		2 Less than 1 cigarette per day	36	2.2
		3 1 cigarette per day	11	0.7
		4 2 to 5 cigarettes per day	22	1.3
		5 6 to 10 cigarettes per day	3	0.2
		6 11 to 20 cigarettes per day	1	0.0
		7 More than 20 cigarettes per day	4	0.2
		Missing	104	
65-65	Q34	Have you ever used an electronic vapor product?		
		1 Yes	671	44.6
		2 No	810	55.4
		Missing	71	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q35	During the vapor produ	past 30 days, on how many days did you use an electronic act?		
		1	0 days	1,109	80.4
		2	1 or 2 days	60	4.5
		3	3 to 5 days	48	3.4
		4	6 to 9 days	27	2.0
		5	10 to 19 days	33	2.4
		6	20 to 29 days	21	1.4
		7	All 30 days	82	6.0
			Missing	172	
67-67	Q36	During the products?	past 30 days, how did you usually get your electronic vapor		
		1	I did not use any electronic vapor products during the past 30 days	1,109	80.4
		2	I got or bought them from a friend, family member, or someone else	169	12.9
		3	I bought them myself in a vape shop or tobacco shop	9	0.:
		4	I bought them myself in a convenience store, supermarket, discount store, or gas station	8	0.4
		5	I bought them myself at a mall or shopping center kiosk or stand	1	0.0
		6	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	4	0.2
		7	I took them from a store or another person	7	0.:
		8	I got them in some other way	72	5.0
		_	Missing	173	
68-68	Q37	tobacco, sn	past 30 days, on how many days did you use chewing uff, dip, snus, or dissolvable tobacco products, such as n, Grizzly, Skoal, or Camel Snus?		
		1	0 days	1,427	95.:
		2	1 or 2 days	27	1.9
		3	3 to 5 days	10	0.0
		4	6 to 9 days	11	0.0
		5	10 to 19 days	5	0.3
		6	20 to 29 days	5	0.3
		7	All 30 days	10	0.7
			Missing	57	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
69-69	Q38		past 30 days, on how many days did you smoke cigars, r little cigars?		
		1	0 days	1,420	94.9
		2	1 or 2 days	34	2.
		3	3 to 5 days	19	1.2
		4	6 to 9 days	10	0.0
		5	10 to 19 days	5	0.4
		6	20 to 29 days	5	0.3
		7	All 30 days	8	0.0
			Missing	51	
70-70	Q39	During the products?	past 12 months, did you ever try to quit using all tobacco		
		1	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	1,001	71.4
		2	Yes	233	16.8
		3	No	166	11.9
			Missing	152	
71-71	Q40	How old we a few sips?	ere you when you had your first drink of alcohol other than		
		1	I have never had a drink of alcohol other than a few sips	725	50.1
		2	8 years old or younger	119	7.3
		3	9 or 10 years old	59	3.5
		4	11 or 12 years old	99	6.3
		5	13 or 14 years old	201	13.4
		6	15 or 16 years old	211	14.0
		7	17 years old or older	60	4.0
			Missing	78	
72-72	Q41	During the drink of alc	past 30 days, on how many days did you have at least one ohol?		
		1	0 days	1,068	77.9
		2	1 or 2 days	148	10.3
		3	3 to 5 days	77	5.:
		4	6 to 9 days	39	2.9
		5	10 to 19 days	26	1.9
		6	20 to 29 days	6	0.4
		7	All 30 days	8	0.3
			Missing	180	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	1,295	90.4
		2	1 day	34	2.2
		3	2 days	37	2.8
		4	3 to 5 days	28	2.3
		5	6 to 9 days	15	1.0
		6	10 to 19 days	10	0.7
		7	20 or more days	9	0.0
			Missing	124	
74-74	Q43		ast 30 days, what is the largest number of alcoholic drinks row, that is, within a couple of hours?		
		1	I did not drink alcohol during the past 30 days	1,078	80.7
		2	1 or 2 drinks	103	7.5
		3	3 drinks	10	0.3
		4	4 drinks	19	1.0
		5	5 drinks	28	2.3
		6	6 or 7 drinks	30	2.3
		7	8 or 9 drinks	19	1.4
		8	10 or more drinks	44	3.
			Missing	221	
75-75	Q44	During the padrank?	ast 30 days, how did you usually get the alcohol you		
		1	I did not drink alcohol during the past 30 days	1,077	77.
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	22	1.5
		3	I bought it at a restaurant, bar, or club	12	1.
		4	I bought it at a public event such as a concert or sporting event	7	0.0
		5	I gave someone else money to buy it for me	48	3.
		6	Someone gave it to me	117	8.4
		7	I took it from a store or family member	41	2.9
		8	I got it some other way	65	4.2
			Missing	163	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During yo	ur life, how many times have you used marijuana?		
		1	0 times	1,051	71.9
		2	1 or 2 times	109	7.3
		3	3 to 9 times	101	6.8
		4	10 to 19 times	54	3.9
		5	20 to 39 times	39	2.7
		6	40 to 99 times	32	2.2
		7	100 or more times	80	5.1
			Missing	86	
77-77	Q46	How old v	were you when you tried marijuana for the first time?		
		1	I have never tried marijuana	1,053	71.6
		2	8 years old or younger	26	2.0
		3	9 or 10 years old	14	1.0
		4	11 or 12 years old	48	3.3
		5	13 or 14 years old	145	9.0
		6	15 or 16 years old	154	10.9
		7	17 years old or older	33	2.3
			Missing	79	
78-78	Q47	During the	e past 30 days, how many times did you use marijuana?		
		1	0 times	1,278	86.1
		2	1 or 2 times	79	5.9
		3	3 to 9 times	45	3.2
		4	10 to 19 times	18	1.1
		5	20 to 39 times	19	1.1
		6	40 or more times	41	2.6
			Missing	72	
79-79	Q48	During yo	ur life, how many times have you used synthetic marijuana?		
		1	0 times	1,411	93.0
		2	1 or 2 times	44	2.7
		3	3 to 9 times	23	1.7
		4	10 to 19 times	18	1.1
		5	20 to 39 times	8	0.6
		6	40 or more times	14	0.9
			Missing	34	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,258	83.4
		2 1 or 2 times	109	7.3
		3 3 to 9 times	70	4.7
		4 10 to 19 times	30	2.1
		5 20 to 39 times	18	1.
		6 40 or more times	24	1.4
		Missing	43	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,420	95.0
		2 1 or 2 times	37	2.5
		3 3 to 9 times	18	1.3
		4 10 to 19 times	8	0.4
		5 20 to 39 times	7	0.4
		6 40 or more times	7	0.4
		Missing	55	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,368	90.0
		2 1 or 2 times	71	5.3
		3 3 to 9 times	44	2.9
		4 10 to 19 times	17	0.9
		5 20 to 39 times	5	0.2
		6 40 or more times	11	0.0
		Missing	36	
33-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,439	95.2
		2 1 or 2 times	29	1.9
		3 3 to 9 times	15	1.0
		4 10 to 19 times	12	0.9
		5 20 to 39 times	7	0.3
		6 40 or more times	10	0.6
		Missing	40	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?		
		1 0 times	1,441	95.7
		2 1 or 2 times	17	1.1
		3 3 to 9 times	18	1.5
		4 10 to 19 times	7	0.7
		5 20 to 39 times	5	0.4
		6 40 or more times	9	0.6
		Missing	55	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA or Molly)?		
		1 0 times	1,440	95.2
		2 1 or 2 times	27	1.8
		3 3 to 9 times	21	1.6
		4 10 to 19 times	4	0.2
		5 20 to 39 times	9	0.5
		6 40 or more times	11	0.6
		Missing	40	
86-86	Q55	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,443	95.6
		2 1 time	42	2.9
		3 2 or more times	17	1.5
		Missing	50	
87-87	Q56	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	343	23.2
		2 No	1,134	76.8
		Missing	75	
88-88	Q57	Have you ever had sexual intercourse?		
		1 Yes	461	36.4
		2 No	848	63.6
		Missing	243	

Data Location	Variable Name	Questic Code and		Unweighted Frequency	Weighted Percentage
89-89	Q58	How old were you when you had sexu	al intercourse for the first time?		
		1 I have never had se	exual intercourse	846	63.3
		2 11 years old or you	nger	37	3.3
		3 12 years old		20	1.3
		4 13 years old		45	3.7
		5 14 years old		81	6.0
		6 15 years old		130	9.2
		7 16 years old		108	8.8
		8 17 years old or old	er	44	4.4
		Missing		241	
90-90	Q59	During your life, with how many peop intercourse?	During your life, with how many people have you had sexual intercourse?		
		1 I have never had se	exual intercourse	840	63.7
		2 1 person		206	16.4
		3 2 people		84	6.0
		4 3 people		56	4.0
		5 4 people		28	2.3
		6 5 people		19	1.3
		7 6 or more people		63	5.2
		Missing		256	
91-91	Q60	During the past 3 months, with how many people did you have sexual intercourse?			
		1 I have never had se	exual intercourse	848	63.3
		I have had sexual is past 3 months	ntercourse, but not during the	174	13.2
		3 Î person		228	18.4
		4 2 people		30	2.:
		5 3 people		13	1.0
		6 4 people		3	0.2
		7 5 people		8	0.4
		8 6 or more people		13	1.0
		Missing		235	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	845	63.5
		2 Yes	79	5.0
		3 No	382	30.9
		Missing	246	
93-93	Q62	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	845	63
		2 Yes	213	16.
		3 No	247	19.0
		Missing	247	
94-94	Q63	The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy?		
		I have never had sexual intercourse with an opposite-sex partner	974	68.
		No method was used to prevent pregnancy	80	5.
		Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	87	6.
		4 Condoms	140	9.
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	19	1.
		A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	21	2.5
		Withdrawal or some other method	56	3.
		8 Not sure	24	1.
		Missing	151	
95-95	Q64	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	696	48.
		2 Females	343	22.9
		3 Males	288	22.
		4 Females and males	80	6.0
		Missing	145	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	Which of	the following best describes you?		
		1	Heterosexual (straight)	1,183	77.9
		2	Gay or lesbian	68	5.1
		3	Bisexual	126	8.8
		4	I describe my sexual identity some other way	42	2.7
		5	I am not sure about my sexual identity (questioning)	62	3.9
		6	I do not know what this question is asking	22	1.6
			Missing	49	
97-97	Q66	How do y	ou describe your weight?		
		1	Very underweight	112	7.3
		2	Slightly underweight	223	14.8
		3	About the right weight	659	45.4
		4	Slightly overweight	414	27.1
		5	Very overweight	85	4.9
			Missing	59	
98-98	Q67	Which of	the following are you trying to do about your weight?		
		1	Lose weight	723	48.4
		2	Gain weight	324	21.1
		3	Stay the same weight	195	14.0
		4	I am not trying to do anything about my weight	246	16.5
			Missing	64	
99-99	Q68		e past 7 days, how many times did you drink 100% fruit h as orange juice, apple juice, or grape juice?		
		1	I did not drink 100% fruit juice during the past 7 days	517	34.9
		2	1 to 3 times during the past 7 days	528	35.6
		3	4 to 6 times during the past 7 days	209	13.6
		4	1 time per day	72	4.9
		5	2 times per day	67	4.3
		6	3 times per day	34	2.3
		7	4 or more times per day	57	4.4
			Missing	68	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
100-100	Q69	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	316	22.1
		2 1 to 3 times during the past 7 days	586	40.5
		3 4 to 6 times during the past 7 days	259	16.1
		4 1 time per day	120	8.0
		5 2 times per day	109	6.9
		6 3 times per day	47	2.9
		7 4 or more times per day	54	3.6
		Missing	61	
101-101	Q70	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	827	55.7
		2 1 to 3 times during the past 7 days	483	32.3
		3 4 to 6 times during the past 7 days	89	6.0
		4 1 time per day	55	3.3
		5 2 times per day	18	1.4
		6 3 times per day	1	0.1
		7 4 or more times per day	17	1.2
		Missing	62	
102-102	Q71	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	600	40.4
		2 1 to 3 times during the past 7 days	605	40.9
		3 4 to 6 times during the past 7 days	176	12.2
		4 1 time per day	53	3.5
		5 2 times per day	17	1.1
		6 3 times per day	10	0.6
		7 4 or more times per day	24	1.4
		Missing	67	
103-103	Q72	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	904	61.3
		2 1 to 3 times during the past 7 days	423	27.9
		3 4 to 6 times during the past 7 days	81	5.1
		4 1 time per day	40	2.8
		5 2 times per day	19	1.2
		6 3 times per day	6	0.3
		7 4 or more times per day	20	1.3
		Missing	59	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
104-104	Q73	During the	past 7 days, how many times did you eat other vegetables?		
		1	I did not eat other vegetables during the past 7 days	376	26.3
		2	1 to 3 times during the past 7 days	567	37.5
		3	4 to 6 times during the past 7 days	314	21.0
		4	1 time per day	124	8.3
		5	2 times per day	61	3.8
		6	3 times per day	22	1.5
		7	4 or more times per day	28	1.0
			Missing	60	
105-105	Q74		past 7 days, how many times did you drink a can, bottle, or da or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	350	24.1
		2	1 to 3 times during the past 7 days	485	33.
		3	4 to 6 times during the past 7 days	290	20.4
		4	1 time per day	121	7.4
		5	2 times per day	104	6.0
		6	3 times per day	56	3.9
		7	4 or more times per day	65	4.5
			Missing	81	
106-106	Q75	During the	During the past 7 days, how many glasses of milk did you drink?		
		1	I did not drink milk during the past 7 days	527	37.3
		2	1 to 3 glasses during the past 7 days	463	29.9
		3	4 to 6 glasses during the past 7 days	205	13.5
		4	1 glass per day	137	9.3
		5	2 glasses per day	84	4.9
		6	3 glasses per day	37	2.7
		7	4 or more glasses per day	38	2.4
			Missing	61	
107-107	Q76	During the	past 7 days, on how many days did you eat breakfast?		
		1	0 days	286	19.0
		2	1 day	180	12.8
		3	2 days	159	11.0
		4	3 days	147	10.4
		5	4 days	121	8.1
		6	5 days	149	9.3
		7	6 days	73	5.0
		8	7 days	377	23.4
			Missing	60	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	287	19.6
		2 1 day	136	9.3
		3 2 days	166	11.3
		4 3 days	134	10.0
		5 4 days	141	9.1
		6 5 days	177	11.2
		7 6 days	53	3.9
		8 7 days	385	25.6
		Missing	73	
109-109	Q78	TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")?		
		1 Less than 1 hour per day	139	10.2
		2 1 hour per day	89	6.0
		3 2 hours per day	197	13.4
		4 3 hours per day	250	16.
		5 4 hours per day	242	16.7
		6 5 or more hours per day	554	37.6
		Missing	81	
110-110	Q79	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	934	62.4
		2 1 day	58	3.9
		3 2 days	59	5.3
		4 3 days	51	3.8
		5 4 days	34	2.3
		6 5 days	334	22.4
		Missing	82	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	764	51.4
		2 1 team	368	26.4
		3 2 teams	190	13.8
		4 3 or more teams	119	8.4
		Missing	111	
112-112	Q81	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?		
		1 0 times	1,228	83.1
		2 1 time	149	10.1
		3 2 times	58	4.2
		4 3 times	14	0.8
		5 4 or more times	24	1.7
		Missing	79	
113-113	Q82	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	135	10.4
		2 No	1,173	79.8
		3 Not sure	147	9.7
		Missing	97	
114-114	Q83	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	141	10.6
		2 No	1,230	83.7
		3 Not sure	75	5.7
		Missing	106	
115-115	Q84	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	986	66.1
		2 Between 12 and 24 months ago	223	15.9
		3 More than 24 months ago	119	8.3
		4 Never	28	1.8
		5 Not sure	109	7.9
		Missing	87	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	During the	past 30 days, how often was your mental health not good?		
		1	Never	312	22.5
		2	Rarely	303	20.6
		3	Sometimes	371	25.4
		4	Most of the time	322	22.3
		5	Always	145	9.3
			Missing	99	
17-117	Q86	On an ave	rage school night, how many hours of sleep do you get?		
		1	4 or less hours	209	14.7
		2	5 hours	225	16.2
		3	6 hours	352	24.4
		4	7 hours	358	22.5
		5	8 hours	235	17.3
		6	9 hours	47	3.0
		7	10 or more hours	26	1.9
			Missing	100	
118-118	Q87	During the	past 30 days, where did you usually sleep?		
		1	In my parent's or guardian's home	1,364	92.9
		2	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	45	3.3
		3	In a shelter or emergency housing	16	1
		4	In a motel or hotel	16	1.
		5	In a car, park, campground, or other public place	8	0.0
		6	I do not have a usual place to sleep	2	0.
		7	Somewhere else	14	0.9
			Missing	87	
119-119	Q88		rode an all-terrain vehicle (ATV) during the past 12 months, did you wear a helmet?		
		1	I did not ride an ATV during the past 12 months	847	55.9
		2	Never wore a helmet	543	34.3
		3	Rarely wore a helmet	52	3.5
		4	Sometimes wore a helmet	30	1.8
		5	Most of the time wore a helmet	30	1.8
		6	Always wore a helmet	36	2.5
			Missing	14	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
120-120	Q89	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	1,304	84.4
		2 1 time	121	8.1
		3 2 or 3 times	71	4.6
		4 4 or 5 times	15	1.0
		5 6 or 7 times	5	0.2
		6 8 or 9 times	7	0.4
		7 10 or 11 times	3	0.1
		8 12 or more times	14	1.2
		Missing	12	
121-121	Q90	During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?		
		1 Yes	261	16.2
		2 No	1,251	83.8
		Missing	40	
122-122	Q91	Do you agree or disagree that harassment and bullying by other students is a problem at your school?		
		1 Strongly agree	265	18.3
		2 Agree	370	25.0
		3 Not sure	546	34.6
		4 Disagree	230	14.8
		5 Strongly disagree	111	7.3
		Missing	30	
123-123	Q92	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,403	91.9
		I bought them in a store such as a convenience store, supermarket, discount store, or gas station	27	1.8
		3 I got them on the Internet	10	0.5
		4 I gave someone else money to buy them for me	17	1.1
		5 I borrowed (or bummed) them from someone else	31	1.7
		6 A person 18 years old or older gave them to me	10	0.6
		7 I took them from a store or family member	17	1.0
		8 I got them some other way	23	1.4
		1 got them some other way	23	1

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93		st 30 days, did you ever sleep away from your parents or ause you were kicked out, ran away, or were abandoned?		
		1	Yes	119	8.5
		2	No	1,303	91.5
			Missing	130	
125-125	Q94		st 30 days, how often did you go hungry because there gh food in your home?		
		1	Never	1,185	82.5
		2	Rarely	161	10.8
		3	Sometimes	79	5.3
		4	Most of the time	11	0.7
		5	Always	11	0.7
		_	Missing	105	
126-126	Q95	How often do	you feel safe and secure at school?		
		1	Never	184	13.6
		2	Rarely	102	6.9
		3	Sometimes	188	13.0
		4	Most of the time	527	35.2
		5	Always	470	31.3
			Missing	81	
127-127	Q96		st one teacher or other adult in your school that you can have a problem?		
		1	Yes	1,005	69.6
		2	No	244	17.2
		3	Not sure	195	13.2
		_	Missing	108	
128-128	Q97	who tried har	ife, how often has there been an adult in your household d to make sure your basic needs were met, such as your safety and making sure you had clean clothes and?		
		1	Never	131	9.6
		2	Rarely	71	4.6
		3	Sometimes	81	5.8
		4	Most of the time	159	10.2
		5	Always	1,025	69.8
			Missing	85	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
129-129	Q98	Have you ever lived with someone who was having a problem with alcohol or drug use?		
		1 Yes	500	33.4
		2 No Missing	954 98	66.6
130-130	Q99	Have you ever been separated from a parent or guardian because they went to jail, prison, or a detention center?		
		1 Yes	267	19.6
		2 No	1,170	80.4
		Missing	115	
185-185	QN8	Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)		
		1 Yes	695	45.8
		2 No	840	54.2
		Missing	17	
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)		
		1 Yes	252	16.4
		2 No	1,278	83.6
		Missing	22	
187-187	QN10	Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	46	4.6
		2 No	821	95.4
		Missing	685	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	343	38.2
		2 No	564	61.8
		Missing	645	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	106	6.4
		2 No Missing	1,418 28	93.6
190-190	QN13	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes 2 No Missing	114 1,422 16	7.4 92.6
191-191	QN14	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	198	12.8
		2 No Missing	1,338 16	87.2
192-192	QN15	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	118	7.2
		2 No	1,408	92.8
193-193	QN16	Missing Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	26	
		1 Yes	296	20.4
		2 No Missing	1,205 51	79.6
194-194	QN17	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	84	5.9
		2 No	1,414	94.1
		Missing	54	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN18	Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood		
		1 Yes	331	23.1
		2 No	1,182	76.9
		Missing	39	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	224	15.6
		2 No	1,299	84.4
		Missing	29	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)		
		1 Yes	220	15.4
		2 No	1,271	84.6
		Missing	61	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	88	10.4
		2 No	751	89.6
		Missing	713	07.0

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	88	10.0
		2 No	799	90.0
		Missing	665	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	260	17.3
		2 No	1,238	82.7
		Missing	54	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	265	18.4
		2 No	1,251	81.6
		Missing	36	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	662	42.9
		2 No	840	57.1
		Missing	50	
203-203	QN26	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1 Yes	338	21.8
		2 No	1,167	78.2
		Missing	47	
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	290	18.9
		2 No	1,206	81.1
		Missing	56	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
205-205	QN28	Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	139	10.4
		2 No	1,203	89.6
		Missing	210	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	49	3.8
		2 No	1,282	96.2
		Missing	221	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	366	25.2
		2 No	1,061	74.8
		Missing	125	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	157	10.3
		2 No	1,302	89.7
		Missing	93	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	80	4.9
		2 No	1,375	95.1
		Missing	97	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	5	6.1
		2 No	72	93.9
		Missing	1,475	

Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])		
	1 Yes	671	44.6
	2 No Missing	810 71	55.4
QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)		
	1 Yes	271	19.6
	2 No		80.4
QN36	Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)		
	1 Yes	8	2.1
	2 No Missing	260 1,284	97.9
QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
	1 Yes	68	4.5
	2 No	1,427	95.5
	QN34 QN35 QN36	Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu]) 1	Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu]) 1

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	81	5.1
		2 No	1,420	94.9
		Missing	51	
216-216	QN39	Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)		
		1 Yes	233	58.6
		2 No	166	41.4
		Missing	1,153	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	277	17.3
		2 No	1,197	82.7
		Missing	78	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	304	22.1
		2 No	1,068	77.9
		Missing	180	
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	133	9.6
		2 No	1,295	90.4
		Missing	124	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	44	3.3
		2 No Missing	1,287 221	96.7
221-221	QN44	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	115	38.7
		2 No	184	61.3
		Missing	1,253	
222-222	QN45	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	415	28.1
		2 No	1,051	71.9
		Missing	86	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	88	6.3
		2 No	1,385	93.7
		Missing	79	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	202	13.9
		2 No	1,278	86.1
		Missing	72	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	107	7.0
		2 No	1,411	93.0
		Missing	34	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes 2 No Missing	251 1,258 43	16.6 83.4
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes 2 No Missing	77 1,420 55	5.0 95.0
228-228	QN51	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)		
		1 Yes 2 No Missing	148 1,368 36	10.0 90.0
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes 2 No Missing	73 1,439 40	4.8 95.2
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes 2 No Missing	56 1,441 55	4.3 95.7
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)		
		1 Yes 2 No Missing	72 1,440 40	4.8 95.2

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
232-232	QN55	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	59	4.4
		2 No	1,443	95.6
		Missing	50	
233-233	QN56	Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)		
		1 Yes	343	23.2
		2 No	1,134	76.8
		Missing	75	
234-234	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	461	36.4
		2 No	848	63.6
		Missing	243	
235-235	QN58	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	57	4.6
		2 No	1,254	95.4
		Missing	241	
236-236	QN59	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	110	8.7
		2 No	1,186	91.3
		Missing	256	
237-237	QN60	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	295	23.5
		2 No	1,022	76.5
		Missing	235	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
238-238	QN61	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	53	17.1
		2 No	235	82.9
		Missing	1,264	
239-239	QN62	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	124	42.5
		2 No	165	57.5
		Missing	1,263	
	QN63	counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active) 1 Yes	72	27.7
		2 No	196	72.3
243-243	QN66	Missing Percentage of students who described themselves as slightly or very overweight	1,284	
		1 Yes	499	32.0
		2 No	994	68.0
		Missing	59	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	723	48.4
		2 No	765	51.6
		Missing	64	
245-245	QN68	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	517	34.9
		2 No	967	65.1
		Missing	68	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
246-246	QN69	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	316	22.1
		2 No	1,175	77.9
		Missing	61	
247-247	QN70	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)		
		1 Yes	827	55.7
		2 No	663	44.3
		Missing	62	
248-248	QN71	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)		
		1 Yes	600	40.4
		2 No	885	59.6
		Missing	67	
249-249	QN72	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)		
		1 Yes	904	61.3
		2 No	589	38.7
		Missing	59	
250-250	QN73	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	376	26.3
		2 No	1,116	73.3
		Missing	60	
251-251	QN74	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)		
		1 Yes	350	24.1
		2 No	1,121	75.9
		Missing	81	,

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
252-252	QN75	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	527	37.3
		2 No	964	62.7
		Missing	61	
253-253	QN76	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	286	19.0
		2 No	1,206	81.0
		Missing	60	
254-254	QN77	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	615	40.7
		2 No	864	59.3
		Missing	73	
255-255	QN78	Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)		
		1 Yes	1,046	70.5
		2 No	425	29.5
		Missing	81	
256-256	QN79	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	536	37.6
		2 No	934	62.4
		Missing	82	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	Percentage of students who played on at least one sports team QN80 (counting any teams run by their school or community groups, during the 12 months before the survey)			
		1 Yes	677	48.6
		2 No	764	51.4
		Missing	111	
258-258	QN81	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	245	16.9
		2 No	1,228	83.1
		Missing	79	
259-259	QN82	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	135	10.4
		2 No	1,320	89.6
		Missing	97	
260-260	QN83	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	141	10.6
		2 No	1,305	89.4
		Missing	106	,
261-261	QN84	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	986	66.1
		2 No	479	33.9
		Missing	87	
262-262	QN85	Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)		
		1 Yes	467	31.6
		2 No	986	68.4
		Missing	99	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
263-263	QN86	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	308	22.2
		2 No	1,144	77.8
		Missing	100	
264-264	QN87	Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)		
		1 Yes	87	6.2
		2 No	1,378	93.8
		Missing	87	
265-265	QN88	Percentage of students who never or rarely wore a helmet when they rode an all-terrain vehicle (ATV) (among students who rode an ATV during the 12 months before the survey)		
		1 Yes	595	85.9
		2 No	96	14.1
		Missing	861	
266-266	QN89	Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)		
		1 Yes	236	15.6
		2 No	1,304	84.4
		Missing	12	
267-267	QN90	Percentage of students who have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)		
		1 Yes	261	16.2
		2 No	1,251	83.8
		Missing	40	
268-268	QN91	Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school		
		1 Yes	341	22.1
		2 No	1,181	77.9
		Missing	30	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
269-269	Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)			
		1 Yes	19	21.0
		2 No	89	79.0
		Missing	1,444	
270-270	QN93	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes	119	8.5
		2 No	1,303	91.5
		Missing	130	
271-271	QN94	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	22	1.4
		2 No	1,425	98.6
		Missing	105	
272-272	QN95	Percentage of students who most of the time or always feel safe and secure at school		
		1 Yes	997	66.4
		2 No	474	33.6
		Missing	81	
273-273	QN96	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,005	69.6
		2 No	439	30.4
		Missing	108	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	there has been an adult in their household who tried hard to ma their basic needs were met (such as looking after their safety an	Percentage of students who reported that most of the time or always there has been an adult in their household who tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)		
		1 Yes	1,184	80.0
		2 No	283	20.0
		Missing	85	
275-275	QN98	Percentage of students who have ever lived with someone who was having a problem with alcohol or drug use		
		1 Yes	500	33.4
		2 No	954	66.6
		Missing	98	
276-276	QN99	Percentage of students who have ever been separated from a parent or guardian because they went to jail, prison, or a detention center		
		1 Yes	267	19.6
		2 No	1,170	80.4
		Missing	115	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	17	1.0
		2 No	1,438	99.0
		Missing	97	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	11	0.6
		2 No	1,444	99.4
		Missing	97	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	103	7.3
		2 No	1,277	92.7
		Missing	172	,2.,

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	82	6.0
		2 No	1,298	94.0
		Missing	172	
354-354	QNFRSKL	Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)		
		1 Yes	15	1.0
		2 No	1,480	99.0
		Missing	57	
355-355	QNDAYSKL	Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)		
		1 Yes	10	0.7
		2 No	1,485	99.3
		Missing	57	
356-356	QNFRCGR	Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)		
		1 Yes	13	0.9
		2 No	1,488	99.1
		Missing	51	
357-357	QNDAYCGR	Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)		
		1 Yes	8	0.6
		2 No	1,493	99.4
		Missing	51	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNTB2 Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	107	6.9
		2 No	1,328	93.1
		Missing	117	
359-359	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	116	7.7
		2 No	1,311	92.3
		Missing	125	
360-360	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	263	20.0
		2 No	1,063	80.0
		Missing	226	
361-361	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	255	19.0
		2 No	1,091	81.0
		Missing	206	
362-362	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	15	5.8
		2 No	253	94.2
		Missing	1,284	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
363-363	QNOTHHPL shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were	Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an		
		1 Yes	103	41.4
		2 No	165	58.6
		Missing	1,284	
364-364	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	35	12.8
		2 No	240	87.2
		Missing	1,277	
365-365	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)		
		1 Yes	42	15.3
		2 No	226	84.7
		Missing	1,284	
366-366	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	170	11.9
		2 No	1,307	88.1
		Missing	75	
367-367	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	674	44.3
		2 No	803	55.7
		Missing	75	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
368-368	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	313	20.9
		2 No Missing	1,164 75	79.1
369-369	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	195	14.1
		2 No	1,284	85.9
		Missing	73	
370-370	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	728	49.0
		2 No	751	51.0
		Missing	73	
371-371	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	277	18.2
		2 No	1,202	81.8
		Missing	73	
372-372	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	137	8.8
		2 No	1,342	91.2
		Missing	73	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	346 1,125 81	22.4 77.6
374-374	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	225 1,246 81	15.0 85.0
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes 2 No Missing	296 1,195 61	19.4 80.6
376-376	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes 2 No Missing	75 1,416 61	5.1 94.9
377-377	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes 2 No Missing	377 1,115 60	23.4 76.6

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
378-378	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	287	19.6
		2 No Missing	1,192 73	80.4
379-379	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	385	25.6
		2 No	1,094	74.4
		Missing	73	
380-380	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	334	22.4
		2 No	1,136	77.6
		Missing	82	
381-381	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	28	1.8
		2 No	1,437	98.2
		Missing	87	
388-388	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	280	19.4
		2 No	1,092	80.6
		Missing	180	
389-389	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	229	16.3
		2 No	1,143	83.7
		Missing	180	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
390-399	WEIGHT				
400-402	STRATUM	-			
403-408	PSU				
409-413	BMIPCT				
414-415	RACEETH				
		1	Am Indian/Alaska Native	23	0.9
		2	Asian	23	1.1
		3	Black or African American	128	19.3
		4	Native Hawaiian/Other PI	29	1.6
		5	White	866	60.6
		6	Hispanic/Latino	117	4.5
		7	Multiple - Hispanic	247	9.4
		8	Multiple - Non-Hispanic	65	2.6
			Missing	54	,
416-418	Q6ORIG				
419-421	Q7ORIG				